

 SUMITOMO CHEMICAL

# Sumithrin® 10SEC



**One Essential, Take Away the Pest Risk**

Also known as PESGUARD 10ME in Malaysia



 SUMITOMO CHEMICAL

# Sumithrin® 10SEC

is an advanced micro-emulsion formulation and contains no solvent specially designed to pest control professional makes suitable for use in sensitive areas, including food handling facilities, commercial and residential building, warehouses and the tobacco industries.

Containing Sumithrin 10.3% w/v as its active ingredient. The unique formulation suitable for water dilution, clean, odourless and short residual activity which can be applied through thermal fogging, ULV, misting or surface spray against crawling, flying insect pests and even pet borne pests and parasites.


## Biological efficacy

Sumithrin® 10SEC provides excellent control of target pests.

### Activity against flies (*Musca domestica*) & mosquitoes (*Culex* sp.) indoors

Takarazuka Research Centre, Sumitomo Chemical Co. Ltd., Takarazuka, Hyogo, Japan (normal dose recommendation for indoor applications is 1mg Sumithrin / m<sup>3</sup>)

- Female Fly (*Musca domestica*)
- Female Mosquito (*Culex* sp.)
- Male Fly (*Musca domestica*)




### Activity of Sumithrin in a micro-emulsion spray applied by ULV applications against *Aedes* sp. mosquitoes in outdoor field trials in Penang, Malaysia

Terraced house trial, Penang, Malaysia conducted by Vector Control Research Unit, Universiti Sains Malaysia.

Dilution 1 : 100 in water and application 10 – 13 L/ha

- % Knockdown after 60 mins
- % Kill after 24 hrs



# Why Choose Sumithrin® 10SEC

- Water-based formulation
- Suitable for dilution in water
- HACCP certified. For use in food handling facilities as directed by product label.  
Do not spray to areas where food, utensils, or processing surfaces may become contaminated.
- Indoor and outdoor application
- Short residual life
- Effective against a wide range of pests, including bed bug, flea, mosquito, fly and stored product pests
- Can be applied via ULV, thermal fog, mist, and coarse surface spray
- Low environmental impact
- Non-flammable and odourless

## Packaging size: 1 Litre

The successful control of a wide range on insect pests with Sumithrin applications is well documented (e.g. WHO/CDT/WHOPES/97.2):

### Mosquito control

ULV

Sumithrin® (d-phenothrin) : 5.0 – 10.0 g/ha

### Fly control

Surface treatments


Sumithrin® (d-phenothrin) : 2.5 g/m<sup>2</sup>

ULV / thermal fog

Sumithrin® (d-phenothrin) : 6.25 g/ha

### Others

Sumithrin® is listed as a chemical suitable for the control of **rodent fleas, *Pulex sp.* and common pet fleas** in formulations containing 0.2 – 0.4% w/v Sumithrin® (dilution of 10SEC at 1 : 50 – 1 : 25). Direct applications to humans (lice & fleas) and pets (fleas) in other formulation types are also listed.



Control of **dust mites** with applications of Sumithrin® to mattresses, carpets, curtains and other soft furnishings in a 0.4% spray (dilution of 10SEC at 1 : 25).





## Regulatory and Technical Support

With a broad and extensive technical experience in the Environmental Health division, we offer the comprehensive product registration package as well as technical support with best use of innovative technologies and formulations to our growing client base from our regional laboratory in Seremban, Malaysia.

**Please Read and Follow  
Product Label Directions and Precautions Before Use.**

### Contact Us For More Information

**Sumitomo Chemical Asia Pte Ltd**  
3 Fraser Street, #07-28 DUO Tower  
Singapore 189352  
Tel : (65) 6303 5188  
Fax : (65) 6298 9621

**Sumitomo Chemical Philippines Inc**  
Unit 4C, 4<sup>th</sup> Floor, MAPFRE Insular Corporate Center  
1220 Acacia Avenue, Madrigal Business Park, Ayala Alabang  
Muntinlupa City  
1770 Philippines  
Tel : (632) 885 067180  
Fax : (632) 885 063032

**Sumitomo Chemical (Thailand) Co. Ltd**  
Level 35, Unit 3505, Exchange Tower  
388 Sukhumvit Road  
Klongtoey, Bangkok 10110  
Thailand  
Tel : (66) 2663 4337  
Fax : (66) 2663 4336

**Sumitomo Chemical Enviro-Agro Asia Pacific Sdn Bhd**  
Lot 62A, Persiaran Bunga Tanjung 1  
Senawang Industrial Park  
70400 Seremban, Negeri Sembilan  
Malaysia  
Tel : (606) 679 3711  
Fax : (606) 679 3698

**Sumitomo Chemical Vietnam Co., Ltd**  
Floor 5, 40 Pham Ngoc Thach Street, Ward 6  
District 3, Ho Chi Minh City  
Vietnam  
Tel : (028) 3822 0127, (028) 3822 0129  
Fax : (028) 3822 0131



<https://www.sumitomo-chem-envirohealth.com>

#### Disclaimer

The statements, technical information and recommendations contained herein is to be used only as a guide to assist with the product selection and Sumitomo Chemical makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this brochure are subject to change without notice and Sumitomo Chemical disclaims any and all liability for such changes. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Sumitomo Chemical expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. IN NO EVENT WILL SUMITOMO CHEMICAL BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. All sales of products shall be subject to Sumitomo Chemical's Standard Terms and Conditions of Sale, a copy of which will be provided by Sumitomo Chemical upon request.

\*Sumitomo Chemical as used herein refers to Sumitomo Chemical Asia Pte Ltd, each and any subsidiary or holding company from time to time of that company, whether existing now or in the future.